





© 2015 Doosan Infracore



RICHTER BROS



1740

DOOSAN

FORKLIFT
SAFETY LABEL

RTITCHIEBROS.
Auctioneers





© 2015 Doosan Infracore



RICHTER BROS



FRED RITCHIE BROS



rbanch.com



flomax









COMPTON

1740

DOSAN

5000 Pallet Forklift
DIP FORK LIFT

#L23 REGRAD

rb RITCHIE BROS.





rb



DOOSAN

DOOSAN

fb RITCHIE BROS.
Auctioneers



CAUTION





NEXEN

NEXEN

MADE IN KOREA

MS9960

MS-308







fb RITCHIE BROS.
Auctioneers





1740

DOOSAN

FORKLIFT
SAFETY LABEL

RTITCHIEBROS.
Auctioneers





FRED RITCHIE BROS.



rbanch.com



flomax



© 2014







COMPTON

1740

DOSAN

5000 Pallet Forklift
DIP FORK LIFT

#L23 REGRAD

rb RITCHIE BROS.





rb



DOOSAN

DOOSAN

fb RITCHIE BROS.
Auctioneers



CAUTION





457/178
303

NEXEN

NEXEN

MADE IN KOREA

MS9960

MS-308


MS-308





fb RITCHIE BROS.
Auctioneers






Doosan Industrial Vehicle Co., Ltd.
MADE IN KOREA

WARNING

IMPROPER OPERATION OR
MAINTENANCE COULD RESULT
IN INJURY OR DEATH.
READ AND UNDERSTAND THE
OPERATION AND MAINTENANCE
MANUAL BEFORE OPERATING.

TRUCK CONFORMS TO ANSI/ITSDF B56.1



950209-10652 ENGLISH

MODEL		SERIAL NO.		TYPE	INDUSTRIAL TRUCK
B15T-7 Plus		FBA11-3810-06555		EE	2F83
TRUCK WEIGHT $\pm 5\%$			7192	LB	3261 KG
ALLOWABLE WORKING CAPACITY WITH MAST VERTICAL					
5 °BACK TILT		MAST TYPE		FF1	TIRE TYPE SGL
TIRE TREAD		TIRE PRESS		TIRE SIZE	
35.5	IN (F) X	PSI X	KPA (F)	18x7x12.12	
902	MM (R) X	PSI X	KPA (R)	15x6x11.25	
ATTACH		ISS	LD 0891337		
A	B	C	D		CAPACITY
IN	IN	IN	X	IN	2600 LB
24	24	187	X	IN	X LB
MM	MM	MM	X	MM	1165 KG
600	600	4750	X	MM	X KG
ELECTRIC TRUCK ONLY		TRUCK WT $\pm 5\%$		W/O BAT	5648 LB 2561 KG
BAT TYPE		E0583	VOLT	36	MAX. AH CAP. 800 AT 6 HR RATE
BAT WT.		1543 / 2083	LB	BAT 20.8Lx27.5H IN	
MIN/MAX		700 / 945	KG	SIZE 528Lx698H MM	



FBA11-006555

404
V2.0

DC

The digital display features two wheel icons. The left wheel icon has a battery symbol below it. The right wheel icon is labeled 'SPEED'. In the center, the text 'PP' is displayed in large characters. Below 'PP', the text '2136.3h' is shown. To the right of the right wheel icon, there is a circled 'P' symbol.



fb RITCHIE BROS
All rights reserved

FBA11-3810-06555

22012438

WARNING: DO NOT OPERATE
WITHOUT PROPER TRAINING
SEE OPERATOR'S MANUAL
FOR SAFETY INFORMATION

RTB RITCHIE BROS.
Auctioneers







740



1576
WIS
Fargy MS
Inspection
SEP

W















Doosan Industrial Vehicle Co., Ltd.
MADE IN KOREA

WARNING

IMPROPER OPERATION OR
MAINTENANCE COULD RESULT
IN INJURY OR DEATH.
READ AND UNDERSTAND THE
OPERATION AND MAINTENANCE
MANUAL BEFORE OPERATING.

TRUCK CONFORMS TO ANSI/ITSDF B56.1



950209-10652 ENGLISH

MODEL		SERIAL NO.		TYPE	INDUSTRIAL TRUCK
B15T-7 Plus		FBA11-3810-06555		EE	2F83
TRUCK WEIGHT $\pm 5\%$			7192	LB	3261 KG
ALLOWABLE WORKING CAPACITY WITH MAST VERTICAL					
5 °BACK TILT		MAST TYPE		FF1	TIRE TYPE SGL
TIRE TREAD		TIRE PRESS		TIRE SIZE	
35.5	IN (F)	X	PSI	X	KPA (F) 18x7x12.12
902	MM (R)	X	PSI	X	KPA (R) 15x6x11.25
ATTACH		ISS		LD 0891337	
A	B	C	D		CAPACITY
IN	IN	IN	X	IN	2600 LB
24	24	187	X	IN	X LB
MM	MM	MM	X	MM	1165 KG
600	600	4750	X	MM	X KG
ELECTRIC TRUCK ONLY		TRUCK WT $\pm 5\%$		W/O BAT	5648 LB 2561 KG
BAT TYPE		E0583	VOLT	36	MAX. AH CAP. 800 AT 6 HR RATE
BAT WT.		1543 / 2083	LB	BAT	20.8Lx27.5H IN
MIN/MAX		700 / 945	KG	SIZE	528Lx698H MM



FBA11-006555

404
V2.0

DC



fb RITCHIE BROS
All rights reserved

FBA11-3810-06555

22012438

WARNING: DO NOT OPERATE
WITHOUT PROPER TRAINING
SEE OPERATOR MANUAL
FOR SAFETY INFORMATION

RTB RITCHIE BROS.
Auctioneers







740



1576
WIS
Fargy MS
Inspection
SEP

W





W

FLORIDA
Auction



