



TOYOTA

GEHL

TOYOTA

BAT 10

TOYOTA BROS







• SALES
• SERVICE
• PARTS
• RENTALS
• TRAINING

TOYOTA

RB RITCHIEBROS
AUCTIONEERS



FORKTRUCK



HYSTER 6300
FORTIS

TOYOTA

FRITCHIE BROS.
Engineers





RS ARCHIEBROS



100-301 LAHZA

FINCHIE BROS.



THE FITCHIE BROS.
SINCE 1908

HT 25 CT

TOYOTA

HYSTER 60
FORKS

rbmuniceros



RICHTER BROS.





SALES
SERVICE
PARTS
RENTAL



AMC

FP
F70

TOYOTA

LINE

6 RITCHIE BROS.
Auctioneers



FLORIAN'S TRUCKS





HT150T

WARNING

600	600	109	0	3450	lb
30	30	4800	0	1550	kg
760	760	4800	0	3030	lb
				1370	kg


DO NOT EXCEED THESE
CAPACITIES OR EXCESSIVE
OPERATIONS OF ANY
TYPE MAY BE IN EFFECT ON
THE DATE OF MANUFACTURE





HYSTER 60 FORTIS









RITCHIE BROS.





TOYOTA ELECTRIC FORKLIFT TRUCK

MODEL	8FBE20U		SERIAL NO.	17798	
MAST	FSV	BACK TILT	6.5	ATTACH	SIDE SHIFTER
TYPE	E	VOLTAGE	36 V	BATTERY TYPE	E O
		MAX. AMPERE HOUR CAPACITY	1100	AH	
FRONT TREAD	34.5 in	TIRE FR SIZE	18X7X12-1/8/SOLID		
TREAD	875 mm	TIRE RR SIZE	15X5X11-1/4/SOLID		
TRUCK WEIGHT W/O BATTERY	5750 lb	BATTERY WEIGHT	2100 lb	2710 lb	
ACCURACY ±5%	2600 kg	MIN	955 kg	1230 kg	
MAX					


RATED CAPACITY WITH VERTICAL MAST EQUIPPED AT MAX. LIFT HEIGHT 'C' AS SHOWN.

	A	B	C	D	CAPACITY
in	24	24	189	0	3450 lb
mm	600	600	4800	0	1560 kg
in	30	30	189	0	3030 lb
mm	760	760	4800	0	1370 kg

THIS FORKLIFT TRUCK MEETS OR EXCEEDS DESIGN SPECIFICATIONS OF ANSI/ITSDF B56.1 IN EFFECT ON THE DATE OF MANUFACTURE.

WARNING IMPROPER OPERATION OR MAINTENANCE COULD RESULT IN INJURY OR DEATH. TRAINED OPERATORS ONLY. READ OPERATOR'S MANUAL FIRST.

  KEY ON 12974.4 h
LAP 1361.3 h
2 SEC
 (RESET) (NEXT)

MENU 



MODE



TOYOTA ELECTRIC FORKLIFT TRUCK

SERIAL NO. 17798

MODEL 8FBE20U

ATTACH SIDE SHIFTER

MAST

FSV

BACK TILT 6.5

BATTERY TYPE E.O.

MAX AMPERE HOUR CAPACITY 1100 AH

TYPE

E

VOLTAGE 36

FRONT TREAD

34.5 in

TIRE FR SIZE RR

18X7X12-1/8/SOLID

875 mm

15X5X11-1/4/SOLID

BATTERY WEIGHT MIN MAX 2100

lb 2710

955

kg 1230

TRUCK WEIGHT W/O BATTERY ACCURACY ±5%

5750

2600

RATED CAPACITY WITH VERTICAL MAST EQUIPPED AT MAX. LIFT HEIGHT



	A	B	C	D
in	24	24	189	0
mm	600	600	4800	0
in	30	30	189	0
mm	760	760	4800	0
Capacity (kg)	3450	1560	3030	1370

WARNING



TOYOTA

TOYOTA

HYSTER

robartinc.com





FORKLIFT
FORTIS









13

SAE100R16 2 WIRE MSHA IC-101/24

SAE100R16 2 WIRE MSHA IC-101/24
Ø - 8TX - 1/2" (12.7 mm) - 3500 F

TRITCHE BROS.
Auctioneers



• 8TX - 1/2" (12.7 mm) - 3500 PSI W/P (241 BAR) - SAE100R10 2 WIRE MSHA/IC-10134
• 8TX - 1/2" (12.7 mm) - 3500 PSI W/P (241 BAR) - SAE100R10 2 WIRE MSHA/IC-10134

WIRE MSHA/IC-10134

• 6TX - 3/8" (9.5 mm) - 4000 PSI W/P (275 BAR) - SAE100R10 2 WIRE MSHA/IC-10134

TRITCHE BROS
Auctioneer

