
TOYOTA
RITCHIE BROS.
Auctioneers


TOYOTA


TOYOTA


TOYOTA
RITCHIE BROS.
Auctioneers






SOLIDEAL



TOYOTA
RITCHIE BROS.
Auctioneers




TOYOTA ELECTRIC FORKLIFT TRUCK
SERIAL NO. 28930
ATTACH SIDE SHIFTER
WARNING
RITCHIE BROS.


MENU
MODE


TOYOTA
TRAXX CONSTRUCTION
NISSAN
TOYOTA
TOYOTA
RITCHIE BROS
Auctioneers


TOYOTA ELECTRIC FORKLIFT TRUCK
MODEL 8FBE20U
SERIAL NO. 28930
MAST FSV
BACK TILT 6.5
ATTACH SIDE SHIFTER
TYPE E
VOLTAGE 36 V
BATTERY TYPE E O
MAX AMPERE HOUR CAPACITY 1100 AH
FRONT TREAD 34.5 in 875 mm
TIRE SIZE FR 18X7X12-1/8/SOLID
RR 15X5X11-1/4/SOLID
TRUCK WEIGHT W/O BATTERY 6040 lb 2740 kg
ACCURACY±5%
BATTERY WEIGHT MIN/MAX 2100 lb/ 2710 lb 955 kg/ 1230 kg
RATED CAPACITY WITH VERTICAL MAST EQUIPPED AT MAX. LIFT HEIGHT 'C' AS SHOWN.
A B C D CAPACITY
24 24 189 0 3450 lb
600 600 4800 0 1560 kg
30 30 189 0 3030 lb
760 760 4800 0 1370 kg
THIS FORKLIFT TRUCK MEETS OR EXCEEDS DESIGN SPECIFICATIONS OF ANSI ITSDF B56.1 IN EFFECT ON THE DATE OF MANUFACTURE.
WARNING
IMPROPER OPERATION OR MAINTENANCE COULD RESULT IN INJURY OR DEATH. TRAINED OPERATORS ONLY. READ OPERATOR'S MANUAL FIRST.


TOYOTA ELECTRIC FORKLIFT TRUCK
SERIAL NO. 28930
MODEL 8FBE20U
MAST FSV
TYPE E
FRONT TREAD 34.5 in 875 mm
BACK TILT 6.5
VOLTAGE 36 V
TIRE FR 18X7X12-1/8/SOLID
SIZE RR 15X5X11-1/4/SOLID
ATTACH SIDE SHIFTER
BATTERY TYPE E O
MAX AMPERE HOUR CAPACITY 1100 AH
6040 lb 2740 kg
2100 lb 955 kg
lb 2710
kg 1230
3450 lb 1560 kg
3030 lb 1370 kg
WARNING
THIS FORKLIFT TRUCK MEETS OR EXCEEDS DESIGN SPECIFICATIONS OF ANSI
EFFECTION
MANUFACTURE
HITCHIE BROS.
Auctioneers


TOYOTA


B75-2648 NAS
QUANTUM


3450LBS




RITCHIE BROS


ACT
RITCHIE