


DSV


KENWORTH
KENWORTH


KENWORTH
KENWORTH


100
193,830.0 MI


NSIDE
ALL VEHICLE
OPERATORS
MUST




D
N
R
OFF
MAX


KENWORTH
AUTO
TC
SPARE
SPARE


TC
SPARE
SPARE
PARKING

Engine

Make	CUMMINS
Model	X15
Software Version	67.702419
Engine Hours	7384.7

Transmission

Make	EATON
Model	FXD-xxF118D


	Adv. HP	500	at	1900	RPM	E.C.S.	EGR,PTOX,SCRC	NOx		0.20
XEA	Peak Torque(FT-LB)	1850	at	900	RPM	Inj. Timing Code	06	PM		.007
	Fuel rate at Adv. HP	259			mm 3 stroke	Cid./L	912/15	FEL	EPA	CARB
	Valve Lash Cold (in/mm)	.014/.356	Int.	.027/.686	Exh.	CPL	6245			
	NR:--					Governed Speed	2000 RPM			

01S830H15 "DELEGATED ASSEMBLY" Cummins Inc. Assembled in the U.S.A.

6463435

IMPORTANT ENGINE
U.S. EPA and Cal
model year new
clean idle standa
certified under t

1956.8(a)(2)(C)(3) applicable to 202
intended service application as a he
certified to operate on diesel fuel.


MANUFACTURED BY
KENWORTH TRUCK CO
A PACCAR Company
DATE MFG. 06/2024
KILOGRAMS / POUNDS
GVWR 26853.1 59200
FR. GAWR 5987.5 13200
2ND. GAWR 10432.8 23000
3RD. GAWR 10432.8 23000
4TH. GAWR
SUITABLE TIRE - RIM CHOICE
TIRE SIZE RIM SIZE KPA COLD PSI
295/75R22.5B 22.5X8.25 123
295/75R22.5C 22.5X8.25 790 115
295/75R22.5C 22.5X8.25 790 115
LABEL 22-01467 REV D
THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE
VIN 1XK-ZD40X-0-SJ 173857
TYPE VEH. TRUCK TRACTOR